

NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027  
Issued April 01, 2026

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

*MR. THOMAS SCHNEIDER  
SUFFOLK COUNTY WATER AUTHORITY LABORATORY  
260 MOTOR PARKWAY  
HAUPPAUGE, NY 11788*

*NY Lab Id No: 10311*

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES POTABLE WATER  
All approved analytes are listed below:*

**Bacteriology**

Coliform, Total / E. coli (Qualitative)	SM 21, 23 9222A,B,C TECTA EC/TC
Heterotrophic Plate Count	SM 20, 21-23 9215B (-04)

**Chlorinated Acids**

2,4,5-TP (Silvex)	EPA 515.3
2,4-D	EPA 515.3
Acifluorfen	EPA 515.3
Dalapon	EPA 515.3
Dicamba	EPA 515.3
Dinoseb	EPA 515.3
Pentachlorophenol	EPA 515.3
Picloram	EPA 515.3

**Disinfection By-products**

Bromate	EPA 300.1 Rev. 1.0
Bromide	EPA 300.1 Rev. 1.0
Bromochloroacetic acid	EPA 552.2
Chlorate	EPA 300.1 Rev. 1.0
Dibromoacetic acid	EPA 552.2
Dichloroacetic acid	EPA 552.2
Monobromoacetic acid	EPA 552.2
Monochloroacetic acid	EPA 552.2
Trichloroacetic acid	EPA 552.2

**Fuel Additives**

Methyl tert-butyl ether	EPA 524.2
Naphthalene	EPA 524.2

Serial No.: 71827

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027  
Issued April 01, 2026

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

*MR. THOMAS SCHNEIDER  
SUFFOLK COUNTY WATER AUTHORITY LABORATORY  
260 MOTOR PARKWAY  
HAUPPAUGE, NY 11788*

*NY Lab Id No: 10311*

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES POTABLE WATER  
All approved analytes are listed below:*

**Metals I**

Arsenic, Total	EPA 200.8 Rev. 5.4
Barium, Total	EPA 200.8 Rev. 5.4
Cadmium, Total	EPA 200.8 Rev. 5.4
Chromium, Total	EPA 200.8 Rev. 5.4
Copper, Total	EPA 200.8 Rev. 5.4
Iron, Total	EPA 200.7 Rev. 4.4
Lead, Total	EPA 200.8 Rev. 5.4
Manganese, Total	EPA 200.7 Rev. 4.4
Mercury, Total	EPA 200.8 Rev. 5.4
Selenium, Total	EPA 200.8 Rev. 5.4
Silver, Total	EPA 200.8 Rev. 5.4
Zinc, Total	EPA 200.8 Rev. 5.4

**Metals II**

Aluminum, Total	EPA 200.8 Rev. 5.4
Antimony, Total	EPA 200.8 Rev. 5.4
Beryllium, Total	EPA 200.8 Rev. 5.4
Molybdenum, Total	EPA 200.8 Rev. 5.4
Nickel, Total	EPA 200.8 Rev. 5.4
Thallium, Total	EPA 200.8 Rev. 5.4
Vanadium, Total	EPA 200.8 Rev. 5.4

**Metals III**

Boron, Total	EPA 200.7 Rev. 4.4
Calcium, Total	EPA 200.7 Rev. 4.4
Magnesium, Total	EPA 200.7 Rev. 4.4
Potassium, Total	EPA 200.7 Rev. 4.4
Sodium, Total	EPA 200.7 Rev. 4.4

Serial No.: 71827

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027  
Issued April 01, 2026

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

MR. THOMAS SCHNEIDER  
SUFFOLK COUNTY WATER AUTHORITY LABORATORY  
260 MOTOR PARKWAY  
HAUPPAUGE, NY 11788

NY Lab Id No: 10311

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES POTABLE WATER  
All approved analytes are listed below:*

**Metals III**

Uranium (Mass) EPA 200.8 Rev. 5.4

**Methylcarbamate Pesticides**

3-Hydroxy Carbofuran EPA 531.2  
Aldicarb EPA 531.2  
Aldicarb Sulfone EPA 531.2  
Aldicarb Sulfoxide EPA 531.2  
Carbaryl EPA 531.2  
Carbofuran EPA 531.2  
Methomyl EPA 531.2  
Oxamyl EPA 531.2

**Microextractables**

1,2-Dibromo-3-chloropropane, Low Le EPA 551.1  
1,2-Dibromoethane, Low Level EPA 551.1

**Miscellaneous**

1,4-Dioxane EPA 522  
Benzo(a)pyrene EPA 525.3  
Bis(2-ethylhexyl) phthalate EPA 525.3  
Di (2-ethylhexyl) adipate EPA 525.3  
Hexachlorobenzene EPA 551.1  
Hexachlorocyclopentadiene EPA 551.1  
Odor SM 21-23 2150 B (-97)  
Organic Carbon, Total SM 21-23 5310C (-00)  
Perchlorate EPA 331.0  
Surfactant (MBAS) SM 21-23 5540C (-00)  
Turbidity EPA 180.1 Rev. 2.0



Serial No.: 71827

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027  
Issued April 01, 2026

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

*MR. THOMAS SCHNEIDER  
SUFFOLK COUNTY WATER AUTHORITY LABORATORY  
260 MOTOR PARKWAY  
HAUPPAUGE, NY 11788*

*NY Lab Id No: 10311*

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES POTABLE WATER  
All approved analytes are listed below:*

**Non-Metals**

Alkalinity	SM 21-23 2320B (-97)
Calcium Hardness	EPA 200.7 Rev. 4.4
Chloride	EPA 300.0 Rev. 2.1
Color	SM 21-23 2120B (-01)
Cyanide	OIA-1677
Fluoride, Total	EPA 300.0 Rev. 2.1
Nitrate (as N)	EPA 300.0 Rev. 2.1
Nitrite (as N)	EPA 300.0 Rev. 2.1
Specific Conductance	SM 21-23 2510B (-97)
Sulfate (as SO4)	EPA 300.0 Rev. 2.1

**Organohalide Pesticides**

Alachlor	EPA 525.3
Aldrin	EPA 525.3
Atrazine	EPA 551.1
Butachlor	EPA 525.3
Chlordane Total	EPA 505
Dieldrin	EPA 525.3
Endrin	EPA 551.1
Heptachlor	EPA 551.1
Heptachlor epoxide	EPA 551.1
Lindane	EPA 551.1
Methoxychlor	EPA 551.1
Metolachlor	EPA 525.3
Metribuzin	EPA 551.1
Propachlor	EPA 525.3
Simazine	EPA 551.1
Toxaphene	EPA 505

Serial No.: 71827

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027  
Issued April 01, 2026

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

MR. THOMAS SCHNEIDER  
SUFFOLK COUNTY WATER AUTHORITY LABORATORY  
260 MOTOR PARKWAY  
HAUPPAUGE, NY 11788

NY Lab Id No: 10311

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES POTABLE WATER  
All approved analytes are listed below:*

**Organohalide Pesticides**

Trifluralin EPA 551.1

**Perfluorinated Alkyl Acids**

11CI-PF3OUdS EPA 533

4:2FTS EPA 533

6:2FTS EPA 533

8:2FTS EPA 533

9CI-PF3ONS EPA 533

ADONA EPA 533

HFPO-DA (GenX) EPA 533

NEtFOSAA EPA 537.1, Version 2

NFDHA EPA 533

NMeFOSAA EPA 537.1, Version 2

Perfluorotridecanoic Acid (PFTrDA) EPA 537.1, Version 2

Perfluorodecanoic Acid (PFDA) EPA 533

Perfluoro-3-Methoxypropanoic Acid (F EPA 533

Perfluoro-4-Methoxybutanoic Acid (PF EPA 533

Perfluorobutanesulfonic Acid (PFBS) EPA 533

Perfluorobutanoic Acid (PFBA) EPA 533

Perfluorododecanoic Acid (PFDoA) EPA 533

Perfluoroheptanesulfonic Acid (PFHpS EPA 533

Perfluoroheptanoic Acid (PFHpA) EPA 533

Perfluorohexanesulfonic Acid (PFHxS) EPA 533

Perfluorohexanoic Acid (PFHxA) EPA 533

Perfluorononanoic Acid (PFNA) EPA 533

Perfluorooctanesulfonic Acid (PFOS) EPA 533

Perfluorooctanoic Acid (PFOA) EPA 533

Perfluoropentanesulfonic Acid (PFPeS EPA 533

Serial No.: 71827

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027  
Issued April 01, 2026

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

*MR. THOMAS SCHNEIDER  
SUFFOLK COUNTY WATER AUTHORITY LABORATORY  
260 MOTOR PARKWAY  
HAUPPAUGE, NY 11788*

*NY Lab Id No: 10311*

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES POTABLE WATER  
All approved analytes are listed below:*

**Perfluorinated Alkyl Acids**

Perfluoropentanoic Acid (PFPeA)	EPA 533
Perfluorotetradecanoic Acid (PFTeDA)	EPA 537.1, Version 2
Perfluoroundecanoic Acid (PFUnA)	EPA 533
PFEESA	EPA 533

**Polychlorinated Biphenyls**

PCB Screen	EPA 505
------------	---------

**Trihalomethanes**

Bromodichloromethane	EPA 524.2
Bromoform	EPA 524.2
Chloroform	EPA 524.2
Dibromochloromethane	EPA 524.2
Total Trihalomethanes	EPA 524.2

**Volatile Aromatics**

1,2,3-Trichlorobenzene	EPA 524.2
1,2,4-Trichlorobenzene	EPA 524.2
1,2,4-Trimethylbenzene	EPA 524.2
1,2-Dichlorobenzene	EPA 524.2
1,3,5-Trimethylbenzene	EPA 524.2
1,3-Dichlorobenzene	EPA 524.2
1,4-Dichlorobenzene	EPA 524.2
2-Chlorotoluene	EPA 524.2
4-Chlorotoluene	EPA 524.2
Benzene	EPA 524.2
Bromobenzene	EPA 524.2
Chlorobenzene	EPA 524.2
Ethyl benzene	EPA 524.2



Serial No.: 71827

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027  
Issued April 01, 2026

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

**MR. THOMAS SCHNEIDER**  
**SUFFOLK COUNTY WATER AUTHORITY LABORATORY**  
**260 MOTOR PARKWAY**  
**HAUPPAUGE, NY 11788**

**NY Lab Id No: 10311**

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES POTABLE WATER  
All approved analytes are listed below:*

**Volatile Aromatics**

Hexachlorobutadiene	EPA 524.2
Isopropylbenzene	EPA 524.2
n-Butylbenzene	EPA 524.2
n-Propylbenzene	EPA 524.2
p-Isopropyltoluene (P-Cymene)	EPA 524.2
sec-Butylbenzene	EPA 524.2
Styrene	EPA 524.2
tert-Butylbenzene	EPA 524.2
Toluene	EPA 524.2
Total Xylenes	EPA 524.2

**Volatile Halocarbons**

1,1,1,2-Tetrachloroethane	EPA 524.2
1,1,1-Trichloroethane	EPA 524.2
1,1,2,2-Tetrachloroethane	EPA 524.2
1,1,2-Trichloroethane	EPA 524.2
1,1-Dichloroethane	EPA 524.2
1,1-Dichloroethene	EPA 524.2
1,1-Dichloropropene	EPA 524.2
1,2,3-Trichloropropane	EPA 524.2
1,2-Dichloroethane	EPA 524.2
1,2-Dichloropropane	EPA 524.2
1,3-Dichloropropane	EPA 524.2
2,2-Dichloropropane	EPA 524.2
Bromochloromethane	EPA 524.2
Bromomethane	EPA 524.2
Carbon tetrachloride	EPA 524.2
Chloroethane	EPA 524.2



**Serial No.: 71827**

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027  
Issued April 01, 2026

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

*MR. THOMAS SCHNEIDER  
SUFFOLK COUNTY WATER AUTHORITY LABORATORY  
260 MOTOR PARKWAY  
HAUPPAUGE, NY 11788*

*NY Lab Id No: 10311*

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES POTABLE WATER  
All approved analytes are listed below:*

**Volatile Halocarbons**

Chloromethane	EPA 524.2
cis-1,2-Dichloroethene	EPA 524.2
cis-1,3-Dichloropropene	EPA 524.2
Dibromomethane	EPA 524.2
Dichlorodifluoromethane	EPA 524.2
Methylene chloride	EPA 524.2
Tetrachloroethene	EPA 524.2
trans-1,2-Dichloroethene	EPA 524.2
trans-1,3-Dichloropropene	EPA 524.2
Trichloroethene	EPA 524.2
Trichlorofluoromethane	EPA 524.2
Vinyl chloride	EPA 524.2



Serial No.: 71827

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).

